

6. The role of pollinators in fruit and vegetable farming

CHAITRA A J¹

¹Department of Horticulture,
University of Agricultural sciences Gkvk -Bangalore

Abstract

Pollinators play a key role in fruit and vegetable farming. They transfer pollen from one flower to another, enabling fruit set and seed production. This article examines how pollinators influence yield quantity, quality, and farm economics in vegetable and fruit crops. We explore pollinator types, their relevance to major crops, case studies illustrating yield gains from optimised pollination, and threats to pollinator services. The discussion covers management practices that farmers can adopt to strengthen pollinator presence and performance. The conclusion emphasises the importance of integrating pollinator-care into farm planning to enhance productivity and sustainability.

1. Introduction

Pollinators are organisms that carry pollen from the male parts of a flower (anthers) to the female parts (stigmas) of the same or another flower of the same species. Without pollination, many fruit and vegetable crops cannot produce marketable yields. Animal pollinators include bees, flies, butterflies, birds, and bats. The majority of flowering plants in agriculture rely on these agents.

For example, estimates suggest that about 75 % of cultivated plants are pollinated by animals, and pollinators influence roughly 35 % of global crop production.

In fruit and vegetable farming, the role of pollinators is evident, as the market value of output and quality features (size, shape, seed number) are closely linked to pollination performance. For instance, one meta-analysis found that pollinators strongly improve commercial attributes of fruits and vegetables, including appearance and shelf life.

Given rising food demand and increasing intensification of farming, understanding pollinator roles, threats to them, and management options is critical. This article will proceed through sections on pollinator types and ecology, their specific roles in fruit and vegetable crops, case studies and data on yield and quality impacts, threats and challenges to pollinator services, farm-level management practices, and final reflections.

2. Pollinator Types and Ecological Role

2.1 Types of pollinators

- Wild bees (e.g., solitary bees, bumble bees)

- Managed bees (e.g., honey bees *Apis mellifera*)
- Non-bee insects (flies, beetles, butterflies)
- Vertebrate pollinators (birds, bats in some regions)

In many vegetable and fruit systems in temperate and tropical regions, bees dominate. For example, in Florida agriculture, insect pollinators are required or beneficial for 47 crops representing 43 % of plant crop species grown there.

2.2 The ecological process of pollination

Pollination involves pollen transfer, fertilisation, and then the development of fruit and seeds. In crops where self-pollination or wind pollination is insufficient, animals provide the mechanical movement of pollen. Without this movement, many crops show low fruit set, poor seed number, or malformed fruits.

2.3 Pollinator diversity and ecosystem services

Diversity of pollinators enhances resilience and stability of pollination services. A recent review found that pollinator diversity benefits both natural and agricultural ecosystems by providing redundancy, ensuring pollination under variable conditions.

Having multiple pollinator species means

that if one declines (for example, honey bees under stress), others may compensate. It also helps cover different flower types, times of day, and weather conditions.

2.4 Habitat and foraging behaviour

Wild pollinators rely on nesting sites, floral resources outside the crop bloom window, and safe movement across landscapes. The structure of the landscape (the presence of natural habitat patches) affects pollinator foraging and, in turn, crop pollination. Models show that maintaining natural habitat patches in agricultural landscapes can maximise pollination services.

3. Role of Pollinators in Fruit and Vegetable Crops

3.1 Fruits: benefits of pollinators

Fruit crops such as apples, blueberries, cherries, strawberries, and many tropical fruits rely on pollinators for fruit set, seed number, and quality. For example, in a review of fruit production, it was shown that animal pollinators affect 35 % of crop production and increase yields of major food crops.

Adequate pollination often leads to more uniform fruits, higher weight, better shape, and improved seed set. This matters for marketability and price.

3.2 Vegetables: pollinators matter too

Vegetable crops, sometimes under-appreciated for pollination needs, still benefit strongly. A study in India found

that 75 % of cultivated plants are biotically pollinated, and that fruits and vegetables are among the most benefited crops.

Examples include cucurbits (melon, squash, cucumber), which require or strongly benefit from insect pollinators. In Florida, crops such as watermelons and squash are highly dependent on insect pollinators (75-100 %).

3.3 Yield quantity and quality improvements

Meta-analysis data show that beyond mere fruit set, pollinators improve quality attributes such as size, shape, and shelf life in fruits and vegetables. For example, the 2023 global meta-analysis found substantial positive effects in fruits and vegetables.

In a study of carrot seed production in Ethiopia, open pollination or honeybee-only pollination increased seed yields by nearly 287 % compared to self-pollinated plots.

These data demonstrate both quantity (yield) and quality (seed, shape) benefits.

3.4 Economic implications

Pollinator contributions translate into economic value for growers. For instance, the Florida review estimated that insect pollinators contribute over US\$50 million per crop per year.

Therefore, from a farm planning

perspective, ignoring pollinators is neglecting a key input to yield and quality.

4. Case Studies and Data

4.1 Case: Carrot seed production, Ethiopia

In the central highlands of Ethiopia, the effect of pollinators on carrot seed yield was quantified: open pollination produced approximately 561.97 kg/ha, compared with 144.45 kg/ha in pollinator-excluded plots.

Germination percentages also improved: about 96.1 % under open pollination versus ~40.5 % under exclusion. This illustrates significant effects on both quantity and seed quality.

4.2 Case: Florida fruit and vegetable crops

In Florida, the systematic review found that insect pollinators are required or beneficial for 47 crops, or 43 % of all plant-crop species in that state. For crops like watermelons, pumpkins, and squashes, the pollinator-contribution value was 75-100 %. Other crops (tomatoes, peppers, cucumbers) contributed 30-74%.

This shows the variation by crop and region.

4.3 Case: Vegetable crops in India

In India, authors Pradhan, Mahapatra, and Nayak noted that vegetable cultivation relies heavily on biotic pollination and that pollinator decline poses a significant threat

to future food availability.

They illustrated that cross-pollinated vegetable crops (e.g., cucurbits, brassicas) require pollinators for efficient seed and fruit set.

4.4 Meta-analysis on quality improvements

A 2023 analysis found that pollinators improve quality traits, such as fruit weight, seed number, shelf life, and appearance, in fruits and vegetables.

This adds to the argument that pollinators are not just about “whether you get a crop” but also “what quality of crop you get”.

4.5 Summary of quantitative effects

- Seed yield increase: e.g., carrot seed yield $\sim 2.87\times$ greater with honeybee or open pollination versus self-pollination.
- High pollinator dependency: watermelons, squash $\sim 75\text{-}100\%$ dependency in Florida.
- Quality metrics improved: global meta-analysis shows a consistent pattern of improved fruit/vegetable quality with pollinators.

5. Threats to Pollinator Services and Farming Impacts

5.1 Decline in pollinator populations

Pollinator populations are under pressure worldwide. Causes include habitat loss, pesticide exposure, disease, climate change, and monoculture farming, which provides

fewer floral resources. For example, Pradhan et al. noted that pollinator populations are declining rapidly, which threatens food security.

This decline reduces pollination services, thereby lowering crop yield and quality.

5.2 Landscape change and loss of habitat

As natural habitats shrink and farms dominate the landscape, wild pollinators lose nesting sites and forage resources. Models show that landscape structure influences pollinator density and service levels.

This means farms located in intensively farmed regions may face a greater risk of inadequate pollination.

5.3 Pesticide impacts and agrochemical use

Use of insecticides and herbicides can kill or impair pollinators or reduce floral resources. Even when pollinators are present, their foraging activity may be reduced by exposure to chemicals, thereby lowering efficiency. Pradhan et al. flagged over-use of chemicals as a key threat.

5.4 Climate change and phenological mismatches

Climate shifts can cause mismatches between crop flowering times and pollinator availability. Also, extreme weather events (rain, cold, wind) may reduce pollinator activity and thus service.

Though not always explicitly quantified in vegetables and fruits, the risk is real.

5.5 Farming practice implications

When pollination services decline, farms may see:

- Reduced fruit set
- Smaller or misshapen fruits
- Lower seed number (in seed crops)
- Greater variability in yield
- Higher costs if growers rent managed pollinators or attempt to hand-pollinate

Therefore, threats to pollinators translate into economic risks for fruit and vegetable farms.

6. Management Practices for Farmers

6.1 Enhancing habitat for pollinators

- Include flower strips or hedgerows with diverse species blooming before, during and after crop bloom.
- Maintain or restore natural patches or semi-natural habitat around farms.
- Avoid removing all wild vegetation around fields; wild bees often nest in field margins or hedgerows.

6.2 Timing of pesticide applications

- Apply insecticides at times that minimise impact on active forage periods (e.g., evening rather than midday).
- Use selective insecticides or reduce usage when pollinators are present.

6.3 Managing managed pollinators

- For crops with high pollinator dependence, consider renting bee hives or stocking colonies.
- Place hives close to flowering fields during the bloom period and monitor hive health.
- Coordinate bloom timing and hive placement, ensure good forage and water access for bees.

6.4 Crop and landscape diversification

- Rotate crops and include flowering cover or relay crops to maintain continuous forage.
- Mix crops or use inter-planting to reduce large blocks of single crops that bloom for a short time only.
- Use companion planting or create “pollinator-friendly” vegetation around vegetable patches.

6.5 Monitoring and records

- Record flowering dates, pollinator visitation, and yield metrics (fruit set, size, seed number) to assess if pollinator service is adequate.
- If yields are underperforming and other factors (nutrients, pests) are controlled, assess pollination as a limiting factor.

6.6 Economic assessment and budgeting

- Calculate the value of improved yield or quality from pollination (e.g., if yield increases by 20 % and

price is known, estimate incremental revenue).

- Compare the cost of interventions (habitat establishment, renting hives) with expected gains.

6.7 Case-specific adaptation

- For seed vegetable crops (e.g., carrot seed) where pollination is essential, plan explicitly for high pollinator service.
- For fruit crops with known high dependence (e.g., squash, melon), check local research for cultivar-specific dependency.

These management practices allow you to integrate pollination into farm planning rather than treating it as an incidental factor.

7. Future Research and Policy Implications

7.1 Research gaps

- Many vegetable and fruit cultivars lack detailed pollinator-dependency data by region and variety. For instance, the Florida review identified data gaps for many cultivars.
- More work is needed to quantify the role of non-bee pollinators, especially in vegetable crops.
- Long-term studies on landscape-level pollinator service variation are sparse, especially in small-holder

farming systems in developing countries.

7.2 Technology and innovation

- Emerging tools such as precision monitoring of pollinators, remote sensing, or robotic pollination exist but are not yet widely applied in vegetable or fruit farming. A robotics study in apples shows possibilities.
- Data-driven decision support for growers about pollinator management is limited but growing.

7.3 Policy and governance

- Policies that support habitat protection for pollinators (field margins, wild vegetation, pesticide regulation) help the fruit and vegetable sectors.
- Subsidies or cost-sharing for pollinator-friendly practices can increase adoption.
- Certification schemes for “pollinator-friendly” produce may encourage farmers and provide a market advantage.

7.4 Climate change adaptation

- Research must address how a changing climate will affect synchrony between crops and pollinators, and how to design resilient systems.

- Diversification of pollinators and floral resources is a strategy for adaptation.

7.5 Small-holder and global south focus

- Many small vegetable farms in Asia and Africa rely on wild pollinators but receive little extension support for pollinator management.
- Research and policies must include small-holder contexts, low-input systems and local pollinator species.

Taking a broad research and policy view helps ensure that pollination services continue to support fruit and vegetable farming in a changing world.

8. Conclusion

Pollinators are fundamental to fruit and vegetable farming. They drive yield increases, improve quality, and underpin economic value. Evidence from diverse crops and regions shows that their absence leads to sharp yield reductions, lower quality, and higher variability. To secure productive and resilient farming systems, you must treat pollinators as a key component of your farm management plan. That means understanding pollinator types, building habitat, aligning pesticide use, monitoring pollinator activity, and integrating pollinator-friendly practices with crop planning. You must also evaluate

the cost-effectiveness of pollinator management relative to expected gains in yield or quality. As threats to pollinator populations increase due to habitat loss, pesticide exposure, climate change, and landscape simplification, proactive action becomes more urgent. Research gaps remain, and policy support is needed to scale practices and adapt to local conditions. Fruit and vegetable farmers who adopt pollinator-aware strategies build greater resiliency, improve yield and quality, and contribute to broader ecosystem health. Regular review of pollination performance, adaptation of practices, and investment in pollinator-friendly infrastructure will pay dividends in the form of consistent harvests and higher market value produce.

References

- Gazzea, E., et al. (2023). A global meta-analysis shows reduced quality of food crops in the absence of pollinators. *PLoS ONE*, 18(4), 1-20.
- Khalifa, S. A. M., et al. (2021). Overview of Bee Pollination and Its Economic Value for Crop Production. *Frontiers in Plant Science*, 12, 1-11.
- Katumo, D. M., et al. (2022). Pollinator diversity benefits natural and agricultural ecosystem service—current *Opinion in Insect Science*, 55, 100883.
- Klein, A.-M., et al. (2007). Importance of

pollinators in changing landscapes for world crops. *Proceedings of the Royal Society B*, 274, 303–313.

Mallinger, R. E., et al. (2021). Importance of Insect Pollinators for Florida Agriculture. *Florida Entomologist*, 104(3), 312–329.

Nicholls, E., et al. (2023). Crop-pollinator interactions in urban and peri-urban farms in the UK. *People & Nature*, 5(1), pp. 1–10.

Pradhan, P., Mahapatra, P., & Nayak, P. (2022). Role of pollination and pollinators in vegetable production. *International Journal of Chemical Studies*, 10(1), 22-25.

Singh, A., & Adhikary, T. (2021). Importance of Pollinators in Fruit Production: A Review. *International Journal of Economic Plants*, 8(3), 156–161.

Bareke, T., Alemu, T., Addi, A., & Mengesha, D. (2025). Effects of honeybee pollination and other insect pollinators on increasing the seed yield and germination capacity of carrot (*Daucus carota* L.) in the central highlands of Ethiopia. *BMC Plant Biology*, 25, 1051.

Joseph, J., Santibáñez, F., Laguna, M. F., Abramson, G., Kuperman, M. N., & Garibaldi, L. A. (2019). A spatially extended model to assess the role of landscape structure on the pollination service of *Apis mellifera*. *arXiv preprint*.