

## 17. Molecular Diagnostics Emerging Plant Pathogens: Implications for Global Crop Security and Control Strategies

Ankit Raghuwanshi<sup>1</sup>, Muskan Deshmukh<sup>1</sup>, Rohan Kushwah<sup>1</sup>, Bairu Sri Vennela<sup>2</sup>,  
Manu Dubey<sup>1</sup>

<sup>1</sup>M.Sc. Scholar, Division of Plant Pathology, JNKVV, Jabalpur

<sup>2</sup>M.Sc. Scholar, Division of Plant Pathology, Indian Agriculture Research Institute.

### 1. Introduction

Plant diseases are a major limiting factor in agricultural productivity, causing significant economic losses and threatening global food security. The emergence and re-emergence of plant pathogens, driven by factors such as climate change, increased international trade, and evolving pathogen populations, pose a continuous challenge to sustainable agriculture (Ficke *et al.*, 2018). Early and accurate diagnosis of plant diseases is paramount for implementing timely and effective control measures, thereby preventing widespread outbreaks and minimizing crop losses.

Traditional diagnostic methods, primarily based on visual symptom assessment, microscopic examination, and pathogen isolation and culturing, have historically been the cornerstone of plant disease diagnosis. While these methods remain valuable, they often suffer from several limitations. Visual symptoms can be non-specific and

influenced by environmental factors, leading to misdiagnosis. Pathogen isolation and culturing can be time-consuming, labor-intensive, and may not be feasible for unculturable or fastidious organisms. Moreover, these methods often lack the sensitivity to detect pathogens at low titers or in asymptomatic host tissues, which is crucial for early detection and quarantine efforts (Martin *et al.*, 2012). The advent of molecular biology has revolutionized plant disease diagnostics, offering a suite of highly sensitive, specific, and rapid detection tools. Molecular diagnostic techniques target pathogen-specific nucleic acid sequences (DNA or RNA) or proteins, allowing for their unequivocal identification even in minute quantities. This article aims to provide a comprehensive overview of molecular diagnostic technologies for emerging plant pathogens, discussing their implications for global crop security

and their application in developing robust control strategies.

## 2. The Imperative for Rapid and Accurate Diagnostics

The rapid identification of emerging plant pathogens is critical for several reasons:

- a. **Early Detection and Containment:** Prompt detection allows for the implementation of quarantine measures and localized eradication efforts, preventing the pathogen's spread to new areas.
- b. **Reduced Economic Losses:** Timely intervention minimizes crop damage, reduces the need for extensive pesticide applications, and protects farmer livelihoods.
- c. **Informed Control Strategies:** Accurate diagnosis guides the selection of appropriate control measures, such as resistant cultivars, targeted chemical applications, or biological control agents.
- d. **Trade Facilitation:** Robust diagnostic capabilities are essential for meeting phytosanitary regulations in international trade, ensuring the safe movement of plant material.
- e. **Food Security:** Safeguarding crop yields against devastating diseases

is fundamental to ensuring a stable and sufficient food supply for a growing global population.

## 3. Overview of Molecular Diagnostic Technologies

### 3.1. Polymerase Chain Reaction (PCR) and its Derivatives

- a. **Conventional PCR:** This method amplifies a target DNA sequence, which is then visualized via gel electrophoresis. It is relatively simple and cost-effective, but can be less quantitative and may require post-amplification processing.
- b. **Real-time PCR (qPCR):** qPCR monitors DNA amplification in real-time using fluorescent probes or dyes. It offers superior sensitivity, specificity, and provides quantitative data on pathogen load, making it invaluable for assessing disease progression and treatment efficacy.
- c. **Reverse Transcription PCR (RT-PCR/RT-qPCR):** Used for RNA viruses and other RNA pathogens, this method first converts RNA into complementary DNA (cDNA) using reverse transcriptase, followed by PCR amplification.
- d. **Multiplex PCR:** This technique simultaneously amplifies multiple

target sequences in a single reaction, allowing for the detection of several pathogens or different

strains of a single pathogen concurrently.

*Table 1 Comparison of PCR-based Diagnostic Methods*

| Method               | Target Molecule | Sensitivity | Specificity | Quantification | Throughput  | Cost        |
|----------------------|-----------------|-------------|-------------|----------------|-------------|-------------|
| Conventional PCR     | DNA             | Medium-High | High        | No             | Medium      | Low-Medium  |
| Real-time PCR (qPCR) | DNA             | High        | Very High   | Yes            | High        | Medium-High |
| RT-PCR / RT-qPCR     | RNA             | High        | Very High   | Yes (RT-qPCR)  | High        | Medium-High |
| Multiplex PCR        | DNA             | Medium-High | High        | No             | Medium-High | Medium      |

### 3.2. Isothermal Amplification Methods

Unlike PCR, which requires thermal cycling, isothermal amplification methods amplify DNA at a constant temperature, simplifying instrumentation and making them suitable for field-based diagnostics.

**a. Loop-Mediated Isothermal Amplification (LAMP):** LAMP is highly specific and sensitive, producing large amounts of DNA rapidly. The reaction can be visualized by turbidity, fluorescence, or colorimetric indicators, making it ideal for point-of-care diagnostics.

**b. Recombinase Polymerase Amplification (RPA):** RPA is even faster than LAMP, with amplification occurring within minutes. It is also highly robust and tolerant to inhibitors, making it suitable for direct testing of crude samples.

### 3.3. Next-Generation Sequencing (NGS)

NGS technologies have revolutionized pathogen discovery and diagnostics by enabling high-throughput sequencing of entire pathogen genomes or all nucleic acids present in a sample (metagenomics).

**a. Whole-Genome Sequencing (WGS):** WGS provides complete

genomic information of a pathogen, facilitating precise identification, phylogenetic analysis, and the detection of virulence factors or antimicrobial resistance genes.

- b. Metagenomics:** This approach sequences all DNA and RNA in a sample, allowing for the unbiased detection of known and unknown pathogens, including those that are unculturable. It is particularly valuable for identifying novel emerging pathogens.
- c. RNA-Seq:** Specifically targets RNA, useful for identifying actively expressed genes, detecting RNA viruses, and studying host-pathogen interactions.

Biosensors integrate biological recognition elements (e.g., antibodies, nucleic acid probes) with transducers to detect specific analytes, providing rapid, real-time results. Lab-on-a-chip devices miniaturize and integrate multiple laboratory functions onto a single chip, enabling portable and automated diagnostics.

- a. Electrochemical Biosensors:** Detect changes in electrical signals upon pathogen binding.
- b. Optical Biosensors:** Utilize changes in light properties (e.g., fluorescence, surface plasmon resonance) for detection.
- c. Microfluidic Devices:** Offer automated sample processing, amplification, and detection in a




*Figure 1 A visual representation of the metagenomics workflow for pathogen detection, from sample collection to data interpretation.*

### 3.4. Biosensors and Lab-on-a-Chip Devices

compact format.

## 4. Implications for Global Crop Security

#### **4.1. Enhanced Surveillance and Early Warning Systems**

Molecular tools enable the establishment of robust surveillance programs that can monitor plant pathogen populations across vast geographical areas. Early detection of emerging pathogens, even before symptoms appear, allows for proactive intervention, preventing epidemics and minimizing damage. This is particularly crucial for transboundary diseases that can spread rapidly across continents.

#### **4.2. Improved Quarantine and Trade Regulations.**

Accurate and rapid diagnostics are essential for effective phytosanitary measures at borders and within agricultural systems. Molecular tests can screen imported plant material, seeds, and propagating stock for latent infections, preventing the introduction of harmful pathogens into new territories. This facilitates safe international trade while safeguarding domestic agriculture.

#### **4.3. Targeted Disease Management Strategies**

Molecular diagnostics provide precise identification of the pathogen species and even specific strains, allowing for the implementation of highly targeted

control measures. For example, knowing the exact strain of a pathogen can inform the selection of resistant crop varieties, specific fungicides, or biological control agents that are most effective against that particular threat. This reduces reliance on broad-spectrum pesticides, promoting more sustainable agricultural practices.

#### **4.4. Pathogen Discovery and Characterization**

NGS technologies are powerful tools for discovering novel pathogens that may have previously gone undetected by traditional methods. By sequencing all nucleic acids in diseased plant samples, researchers can identify unknown viral, bacterial, or fungal agents responsible for emerging diseases. Furthermore, WGS allows for detailed characterization of pathogen genomes, providing insights into their evolution, virulence mechanisms, and potential for overcoming host resistance.

#### **4.5. Breeding for Disease Resistance**

Understanding the genetic diversity and evolution of pathogens through molecular characterization is critical for plant breeders. This information can be used to develop crop varieties with durable resistance to prevalent and emerging pathogens, a cornerstone of

sustainable disease management. Molecular markers linked to resistance genes can also accelerate breeding programs.

## 5. Challenges and Future Directions

- a. **Cost and Accessibility:** High initial investment in equipment and reagents, particularly for NGS, can limit adoption in resource-limited regions. Development of more affordable and portable platforms is crucial.
- b. **Sample Preparation:** Efficient extraction of high-quality nucleic acids from diverse plant matrices can be challenging, especially in the presence of inhibitors.
- c. **Bioinformatics Expertise:** NGS data analysis requires specialized bioinformatics skills, which may not be readily available in all diagnostic laboratories.
- d. **Standardization and Validation:** Lack of standardized protocols and reference materials can hinder comparability of results across different laboratories. Rigorous validation of diagnostic assays is essential for reliable outcomes.
- e. **Interpretation of Results:** The presence of pathogen DNA/RNA does not always equate to active disease. Distinguishing between

latent infection, contamination, and active disease requires careful interpretation in conjunction with epidemiological and symptomatic data.

- f. **Emergence of Novel Pathogens:** While NGS aids in discovery, rapid development of specific assays for truly novel threats can still take time.

### Future directions in molecular diagnostics will likely focus on:

- a. **Miniaturization and Automation:** The advent of miniaturized and automated platforms in molecular diagnostics holds great promise for enhancing diagnostic capabilities. These fully integrated systems will enable rapid testing at point-of-care settings. Portable devices that can perform multiple tests simultaneously could revolutionize field deployments, particularly in remote or resource-limited settings. This technology may include microfluidics and lab-on-a-chip systems, allowing clinicians to conduct complex tests with minimal sample volume. The automation of sample processing and result interpretation will not only improve throughput but also reduce human error and variability in results,

resulting in more reliable diagnostics.

**b. CRISPR-based Diagnostics:**

CRISPR technology, initially utilized for gene editing, is now being repurposed for diagnostic applications. By harnessing the specificity of CRISPR-Cas systems, researchers are developing assays that can detect nucleic acids associated with pathogens with unprecedented sensitivity and specificity. These diagnostics can be designed for rapid turnaround times, potentially delivering results in under an hour at a fraction of the cost of traditional methods. Additionally, the adaptability of CRISPR allows for the design of diagnostics targeting various pathogens, including viral, bacterial, and fungal agents, making it a versatile tool in infectious disease management.

**c. Artificial Intelligence and Machine Learning:**

The integration of artificial intelligence (AI) and machine learning into molecular diagnostics represents a transformative leap forward. By automating data analysis and leveraging algorithmic models, AI can handle complex datasets

generated by genomic and proteomic studies, identifying patterns and correlations that may not be visible to human analysts. This technology can enhance predictive modeling in epidemiological surveillance, helping public health officials anticipate outbreaks and allocate resources more effectively. Furthermore, AI can personalize diagnostics by analyzing patient data to recommend customized testing strategies and treatment plans.

**d. Multi-omics Approaches:**

The future of molecular diagnostics will also be driven by a multi-omics approach, wherein various layers of biological data, genomic, transcriptomic, proteomic, and metabolomic, are integrated for a more comprehensive understanding of diseases. By examining these dimensions in conjunction, researchers can unveil complex host-pathogen interactions and elucidate disease mechanisms. This holistic view will aid in the identification of novel biomarkers for early diagnosis and personalized treatment strategies, ultimately

leading to improved patient outcomes.

- e. **Digital Diagnostics:** The rise of digital health technologies, particularly smartphone applications, will transform how diagnostics are performed and shared. Leveraging the capabilities of smartphones for imaging and data collection can facilitate remote diagnostics, enabling patients to receive timely care without needing to travel to a healthcare facility. Cloud computing and IoT connectivity will play critical roles in enabling real-time data sharing among patients, healthcare providers, and research institutions. This connectivity can enhance disease management, surveillance, and early warning systems for outbreaks, especially in geographically dispersed populations.

## 6. Conclusion

Molecular diagnostics have fundamentally transformed the landscape of plant disease management, offering a critical technological edge against the continuous threat of emerging plant pathogens to global crop security. These advanced techniques, including PCR-based methods,

isothermal amplification (LAMP, RPA), and Next-Generation Sequencing (NGS), overcome the limitations of traditional symptom-based and culture-dependent methods by providing rapid, highly sensitive, and specific identification of pathogens based on their unique nucleic acid signatures. This precision enables the establishment of robust early warning and surveillance systems, allowing for the detection of pathogens in low concentrations or in asymptomatic plant material. Consequently, national and international phytosanitary agencies can implement swift and targeted quarantine and containment measures, which are crucial for preventing the spread of transboundary diseases and ensuring the safety of international agricultural trade. The ability to identify not just the species but specific strains of a pathogen also directly inform the selection of the most effective control strategies, such as the deployment of specific resistant crop cultivars or targeted chemical applications, promoting sustainable and efficient resource use.

The strategic integration of molecular diagnostics into comprehensive disease management programs is essential for future agricultural resilience. NGS,

particularly through metagenomics, stands out by offering an unbiased capacity for pathogen discovery, identifying novel or unculturable agents responsible for emerging diseases that would otherwise be missed. This detailed genetic information is crucial for understanding pathogen evolution, tracking transmission pathways, and characterizing virulence factors, all of which are indispensable for developing durable resistance in breeding programs. While the benefits are clear, widespread adoption is hindered by challenges such as the initial cost of equipment and reagents, the need for specialized bioinformatics expertise to analyze complex sequencing data, and the requirement for global standardization and validation of diagnostic protocols to ensure reliable results across different regions.

Future advancements will focus on making these powerful tools more accessible and user-friendly. The development of portable, automated, and miniaturized platforms (like advanced biosensors and Lab-on-a-Chip devices) will facilitate their use in field settings and resource-limited areas, democratizing access to high-quality diagnostics. Innovations utilizing CRISPR-Cas technology

promise even faster and more cost-effective detection assays. Ultimately, by merging molecular precision with digital technologies like Artificial Intelligence and predictive modeling, the agricultural sector can establish truly proactive, data-driven disease management networks. This technological evolution is not merely an improvement in detection; it is a fundamental shift toward preemptive agricultural security, safeguarding global food production against an ever-evolving biological threat landscape.

#### References:

- Ficke, A., Cowger, C., & Mundt, C. C. (2018). Global movement of plant pathogens: a review. *Plant Pathology*, 67(1), 1-14.
- Martin, R. R., James, D., & Lévesque, C. A. (2012). Impacts of molecular diagnostic technologies on plant disease management. *Annual Review of Phytopathology*, 50, 233-251.
- Buchen-Osmond, C. E., Hu, G., Zhu, R., Song, M., & Yang, B. (2025). Current status and future perspectives of the diagnostic of plant bacterial pathogens. *Frontiers in Plant Science*, 15, Article 1547974.
- Cursiefen, M., Hückelhoven, R., & Kogel, K. H. (2023). Current and emerging trends in techniques for plant

pathogen detection. *Microorganisms*, 11(5), 1146.

Das, A. K., Yadav, J. B., & Pal, S. (2025). Tackling threats from emerging fungal pathogens: Tech-driven approaches for surveillance and diagnostics. *Fungi*, 5(3), 56.

Ristaino, J. B., Cerda, H., & Cunniffe, N. J. (2024). New approaches to plant pathogen detection and disease diagnosis. *Phytopathology*, 114(4), 582–595.

Saeed, H., Khokhar, M. I., & Hassan, S. (2023). Role of Next Generation Sequencing (NGS) in plant disease management: A review. *Journal of Applied Research in Plant Sciences*, 4(1), 512-517.

Verma, N. V., Shukla, M., Kulkarni, R., Srivastava, K., Claudic, B., Mathew, M. J., Maurya, R., Bhattacharjee, G., & Singh, V. (2022). Emerging extraction and diagnostic tools for detection of plant pathogens: Recent trends, challenges, and future scope. *ACS Agricultural Science & Technology*, 2(5), 793–808.